

TG8400B

4-WHEEL SELF-PROPELLED
WORLD'S BEST APPLICATOR ON FOUR WHEELS.



TerraGator
TG8400B

**EVERYTHING YOU EXPECT FROM A
PLUS**



TERRAGATOR. ONE MORE WHEEL.



TerraGator[®]
TG8400B



people just prefer four wheels on their application equipment. Whether it's conditions that demand a bit more stability or the desire for a slightly smoother ride, the TG8400B is built just for them. But rest assured, everything else about this four-wheeled beast comes with the same TerraGator precision, durability and power we've been perfecting for more than 50 years. Our Tier 4 Final engine and transmission – each manufactured by AGCO – work perfectly together for more power to the ground, more torque and better fuel efficiency. Our comfort-enhanced cab is the only one in the industry built specifically for application. And since we offer more liquid and dry systems than anyone, you know you'll always have the right equipment to fit every farm, every field, every climate or every growing trend. If these things aren't important to you, just buy any old applicator. But if they are, test drive a TG8400B. And see for yourself how it redefines the standards for how efficiently an applicator can work.

www.terragator.com

TABLE OF CONTENTS

Drive System	4	Technology	16
Chassis & Frame	8	Options	18
Cab	10	Specifications	19
Application Systems	12		

A yellow tractor with a large implement is driving through a field of harvested corn stalks. The tractor is positioned in the center of the frame, moving away from the viewer. The field is filled with dark, broken corn stalks and leaves. The sky is blue with scattered white clouds. The text "YOU MIGHT FIND A BETTER DRIVE SYSTEM. JUST NOT ON THIS PLANET." is overlaid in large, bold, yellow capital letters across the middle of the image.

**YOU MIGHT FIND A BETTER DRIVE SYSTEM.
JUST NOT ON THIS PLANET.**



YOU DON'T EARN A REPUTATION AS THE HIGHEST-PERFORMING APPLICATORS IN THE BUSINESS BY CUTTING A BUNCH OF CORNERS.

Some companies think it's just fine to use off-the-shelf truck engines in their application equipment. Not us. We build our rugged, AGCO Power™ Tier 4 Final engine and drive system specifically for off-road vehicles, because that's where they work. Add our legendary Continuously Variable Transmission (CVT), the most reliable, durable, highest-performance transmission in the business, and you'll see why no other applicator gives you this optimum a combination of power to the ground, torque, enhanced fuel efficiency and high-precision application.



PEAK TORQUE

The TG8400B quickly and smoothly produces peak torque to the ground at engine speeds as low as 1500 RPM, then consistently maintains that torque.

A PURPOSE-BUILT ENGINE

Our engine is engineered specifically for off-road, ag use. Others use on-road engines in their off-road machines.

PRECISELY BALANCED

Each engine rotating group is precision-balanced to within one gram for less vibration, less wear and tear and much longer engine life.

MORE EFFICIENT

This powerful, smooth-running Tier 4F engine uses less fuel and less DEF than the engines in comparable machines in its class.

LONGER SERVICE INTERVALS

Maintenance intervals are longer, so you'll spend more time in your customers' fields.

CONSTANT SPEED WITHOUT SHIFTING By meshing its mechanical and hydraulic capabilities simultaneously, the CVT operates more efficiently and without preset gear limits. You get infinite speed choices with no shifting, no jerks and no delay in traction or power, from creep to transport.

SIMPLY THE BEST TRANSMISSION IN THE WORLD

There's no easier transmission to operate than the CVT. Because there's no shifting, you always get perfectly smooth acceleration, constant power to the ground and consistently accurate application. Without endless shift points to generate jolting upshifts and downshifts, wear and tear on the machine is also significantly reduced. But most importantly, a smoother ride means the operator is more comfortable, less fatigued and more productive.


WHY THE CVT IS BETTER

- Conventional-shifting transmissions are limited by the number of gears. The CVT fills in those gear gaps, so you choose an exact ground speed, engine speed or a combination of both. You ensure firm, continuous traction that minimize wheel slip and reduces ground disturbance. You control driving modes with the foot pedal, joystick or power shuttle. There's no gear shifting, no jerks and no delay in traction or power. Just infinite speed control for the most precise application possible.
- The advanced TerraGator Management System (TMS) maintains an intelligent, electronic link between engine and transmission allowing you to choose an exact ground speed, engine speed or combination of both to fit conditions.
- Because the CVT and engine are always synchronized with terrain and load demand, our applicators are designed to deliver optimum fuel efficiency.
- There are no clutch packs in the CVT, so service intervals are longer than a powershift or automatic transmission. Plus, with the fewest moving parts of any mechanical transmission in the industry, you get better reliability, longer machine life and greater resale value.
- A separate hydraulic reservoir isolates it from other hydraulic systems and minimizes the chance for contamination.

QUICK SPECS

TG8400B

Make	AGCO Power
Type	AP84-4
# of Cylinders	6
Displacement	8.4L (513 CID)
Horsepower	365 hp (272 kW) @ 2100 RPM
Peak Horsepower	393 hp (293 kW) @ 1900 RPM
Torque	1,180 ft-lb (1,600 N-m) @ 1,500 RPM




WE TOOK MEETING TIER 4 FINAL EMISSIONS STANDARDS TO A WHOLE NEW LEVEL.

Some manufacturers use selective catalytic reduction (SCR) to meet emissions standards. Others use cooled exhaust gas recirculation (cEGR) technology. We used both. Our unique combination of both technologies provides the most direct approach to meeting Tier 4 Final standards, while also increasing power density and total fluid economy with an efficient after-treatment of exhaust gases. You get uncompromised horsepower and torque to the ground, improved fuel economy and a quieter, more efficient, easy-to-start engine.

TG8400B ENGINE TECHNOLOGY AT-A-GLANCE

- A** Dual-stage turbocharging and inter-stage charge air cooler (iCAC) – Dual-stage turbocharging increases low engine speed torque, improves fuel consumption and decreases exhaust temperature. The iCAC provides thermal reliability for a more efficient, cleaner fuel burn.
- B** Diesel Oxidation Catalyst (DOC) - The DOC reduces particulate matter in the exhaust stream by 20-50%, depending on operating conditions.
- C** Pump and injection system - This system reacts to the emissions output of the engine and continuously varies the amount of DEF added to the exhaust stream.
- D** Selective catalytic reduction (SCR) chamber - The DEF-treated exhaust enters the SCR catalyst chamber. There it reacts with the catalyst and NOx is transformed into harmless nitrogen gas and water vapor.
- E** Cooled exhaust gas recirculation (cEGR) - A small amount of exhaust gas is cooled and recirculated, as needed to meet emissions, into the air intake to decrease the amount of raw NOx and reduce the consumption of DEF.
- F** DEF tank – The 15-gallon DEF tank is conveniently located between the fuel tank and entry steps. It features a heating coil to circulate engine coolant to prevent freezing and to thaw frozen DEF during cold-starts.



A SMOOTH, STABLE RIDE MEANS PRECISE APPLICATION EVERY TIME.

If you work in hilly, uneven terrain, the TG8400B provides the stability and balanced ride you need. The chassis, frame and axles are engineered for unyielding strength, maximum payload and the comfort and safety of the operator. No on-road chassis modified for off-road use here. Our chassis is engineered exclusively for off-road ag use, and features single-length, horizontal frame rails made from high-grade, low-alloy steel. The one-piece design reduces metal stress, so the frame flexes smoothly over rough, uneven terrain. Add super-rugged AxleTech® off-road, wide-track axles designed for use with high-floatation tires, and you're looking at a whopping 42,000-pound (19,050-kg) rated capacity, the highest in the industry. You're also looking at the most consistently precise application, regardless of field conditions.




BETTER AXLES. BETTER RIDE.

- Double C-channel frame rails and a 110,000-psi yield strength reduce torsional stress so the chassis flexes over rough, uneven terrain, reducing wheel slip in soft fields and providing superior traction in rolling terrain.
- Heavy-duty bolted cross members provide additional stability to keep the wheels on the ground for maximum power, dependable traction and better fuel-efficiency.
- The rear axle drive comes with air cam-actuated drum brakes with automatic slack adjusters that maintain proper brake setting and reduce maintenance.
- Unique paint and finish process provides maximum resistance to chemicals, humidity, sun and raw weather conditions.



A SMOOTHER RIDE REDUCES WEAR AND TEAR ON THE MACHINE. AND THE OPERATOR.

- A dynamic load-sense steering system has an anti-kickback design to keep shock loads from transferring to the steering wheel, provides smooth steering that can be operated even if you lose power.
- At 201 inches (510.4 cm), the wheelbase is the longest in the industry. You get a smoother ride that reduces the effects of rough fields on your machine, systems and booms. Plus your operator isn't worn out after a long day in the field.
- Other fatigue-reducing features include heavy-duty, multi-leaf front- and rear-variable leaf springs and rear auxiliary springs.



The TG8400B comes with a dynamic load-sensing, anti-kickback steering system that prevents shock loads from transferring to the steering wheel. It can be operated even if you lose power.

With a 165-gallon fuel tank capacity you spend more time applying, less time waiting.



Comfortable instructor's
jump seat standard.

THE WORLD'S ONLY APPLICATION-SPECIFIC CAB.

Frankly, we're not sure why other people put retrofitted tractor or combine cabs on their application equipment. All we know is that when your job is to spend long, tough days in the cab of an applicator, there are a few simple things you expect. Consistently fresh air, exceptional visibility and maximum comfort. That's why we engineer our cabs specifically for application equipment. And the comfort and safety of the operator.



A VERY COMFORTABLE PLACE TO WORK.

- **Unmatched Visibility** The unique six-post cab design features 58 square feet of curved-corner glass, for unmatched visibility and less strain on the operator who, with a slight turn of the head, has an unobstructed view in virtually any direction, including:
 - Boom tips when outlining a field
 - Nozzles to ensure consistent application or make sure nothing is plugged
 - Headland turns
 - Unexpected obstacles
- **Fresh Air. Always.** Positive cab pressure, maintained by a separate pressurization unit, keeps unfiltered air out. Then, a three-stage filtration process keeps the air in the cab dust- and odor-free. Chemicals are virtually eliminated from the cab for a safer, more pleasant operating environment.
 - Dust & Debris Filter – Keeps the big stuff outside where it belongs
 - Carbon Filter – Removes chemicals from the air before the air gets into the cab
 - Recirculation Filter – Continuously filters air recirculated by heat or AC systems
- **A Few Creature Comforts** This cab was designed with operator comfort top of mind. With 14 square feet of floor area, there's plenty of room for any operator to stretch out and be comfortable. You also get:
 - Sound-dampening material throughout the cab and a much quieter engine to significantly reduce interior noise levels
 - Automatic temperature control with 8 multi-level vents to keep the cab comfortable; just set a temperature and forget about it
 - Easy entrance and wide steps
 - Adjustable tilt and telescoping steering wheel
 - Three-way dome lighting, auxiliary radio mount, in-cab storage and multiple power outlets
 - Optional SiriusXM® satellite radio




- ▲ **AN ARMREST THAT MIGHT AS WELL BE PART OF YOUR ARM**
The right-hand armrest floats with your seat movement, so you never have to search or reach for a control. The fully adjustable armrest holds all the control functions you need for field operation, logically arranged within fingertip reach. These include the master apply switch, assisted steering engage, speed selection, cruise control, boom wing up/down, foam marker, individual boom control and more.

SEAT OPTIONS THAT FIT YOU. NOT THE OTHER WAY AROUND.

We offer more seat options than anybody. The standard Deluxe air-suspension seat features a real-time, microprocessor-controlled dampening system that automatically adjusts to match field conditions and maximize comfort. Or choose from these options:

- **Deluxe Heated/Vented Seat** – Our Deluxe model – in durable leather – is both heated and vented for year-round comfort.
- **Air Ride Seat** – This economical, but comfortable, option includes five suspension seat-firming positions.



Stainless Steel From the 1,800-gallon product tank to the 60-gallon foam marker tank to the conveniently located eductor, you'll find stainless steel virtually anywhere you look.

IF YOU'VE GOT A FIELD, WE'VE GOT IT COVERED.

Nobody gives you more application options than the TG8400B. Liquid. Dry. Single or multiple bins. Sophisticated pneumatic boom systems to basic spinners. So no matter what customers, conditions or seasons throw at you, you'll always know you can handle it.



AVAILABLE BOOMS

TerraGator Boom

Fixed-height, allowing full boom breakaway in both forward and reverse, as well as 5-foot tip breakaway. Dual hydraulic cylinders (not springs) control the booms.

Benson Boom II™

Adjust the boom height based on the product being applied for tip-to-target accuracy, especially on hillsides and uneven terrain. The center-pivot boom tree enables spray heights from 21-75 inches (53.3–190.5 cm), while separate boom leveling cylinders maintain a stable, level platform independent of vehicle movement. Control everything from inside the cab, including overriding the system and tilting the boom tree to match boom height to terrain.

FROM TANK TO PLUMBING TO BOOMS, YOU WON'T FIND A MORE CONSISTENT, PRECISE LIQUID DELIVERY SYSTEM.

- **Streamlined Plumbing** Professional grade with enhanced product flow and reduced turbulence. Designed for easy access and cleanout.
- **Fail-safe Sump Valve** Air-actuated sump valve on the bottom of the product tank automatically closes if air pressure is lost.
- **Separate Hydraulic System** System has its own reservoir, plus an independent oil cooler with fan and temperature gauge.
- **Choose Your Boom** Choice of spray booms, from fixed height with breakaway options to adjustable boom height configurations. Available in a straight 80-foot (24.4 m) version or versatile 60/80-foot (18.3/24.4 m) width. Both feature stainless steel boom plumbing, with 30- or 60-inch (76.2- or 152.4 cm) nozzle spacing.

PRECISION DRY APPLICATION FOR LESS WASTE, MORE YIELD.

Nutrients applied in a precise, uniform pattern can increase yields up to 33%. With AGCO's pneumatic boom technology, product is carried in the air stream of the pneumatic spreader, flowing directly and evenly to the ground. The variability of uneven terrain, wind and inconsistent granular product are reduced, while yields are enhanced.

- **More Accurate. Less Waste.** Product is precisely delivered through individual nozzles and boom sections from the conveyor chain to the ground. You can even shut down boom sections to reduce spread pattern by 50% for less waste, better accuracy around borders, corners and waterways.
- **Environmental Stewardship** Product is applied direct to the ground by a boom spreader with evenly spaced nozzles, so there's no guesswork about where it goes. Environmental stewardship is greatly improved because you're not over-applying or applying on areas you shouldn't be.
- **Multiple Products. One Pass.** Spread up to six different products of varying consistency and weight with pinpoint accuracy. There's simply no need for multiple passes that waste time and fuel.

TG8400B DRY SYSTEM BOX CAPACITIES

AirMax Precision	Single bin, 310 cu.ft (8.8 m3)
AirMax Precision2	Adjustable, split bin, 300 cu.ft (8.5 m3)
Air Spreader	Single bin, 315 cu.ft (8.9 m3)
Soilection Twin Bin	Two bins, 290 cu.ft (8.2 m3)
Spinners	New Leader L4000G4, Up to 361 cu.ft. (10.2 m3)



AIRMAX PRECISION™ SYSTEMS

AirMax Precision™ This single-bin system features 70-foot (21.3 m) booms to ensure uniform application with triple-overlap coverage of up to 1,200 pounds (544.3 kg) per acre*. Because independent suspensions keep booms at the proper height, spread patterns are always even.

AirMax Precision2™ Spread two products at once with customizable application rates. Choose 50/50 or 60/40 configurations in the adjustable, split main bin. Both AirMax systems can be equipped with an optional 40-cubic foot (1.13 m) granular bin, and the SprayMax co-application liquid system. SprayMax is a removable 475-gallon (1,798 L) stainless steel tank that applies liquid product at rates of 7.5-70 gallons (28.4-65 L) per minute.



AIR SPREADER SYSTEMS

Air Spreader This open, free-flowing single-bin system features a unique distributor head engineered for more consistent application. It more effectively delivers complex, multi-product applications with double-overlap coverage. The self-leveling, 70-foot (921.3-m) booms have five-foot (52 m) breakaway tips for added durability.

SOILECTION SYSTEMS

Soilection Twin Bin® – Delivers multiple products faster and more precisely in the same application. Each bin has individually variable rates that dispense products up to 860 pounds (390 kg) per acre*. Each bin utilizes independent, hydraulic-controlled metering chains for true variable-rate application.

Available Options Add a dual 25-cubic-foot (.70 m³) granular bin to the single or Twin Bin system to dispense independently variable rates of micronutrients from each bin.



SPINNERS

You can't beat the output and volume capacity of the New Leader L4000G4 spinner box. It features wide, tapered sides that fill quickly with capacity up to 361 cubic feet (10.2 m³). It's available in either 304 or painted 409 stainless steel. Add an optional five- (1.5 m) or seven-foot (2.1 m) MultiApplier modular package to apply variable rates of two products in one pass with spread widths up to 90 feet (27.4 m).

* Based on 65-lb. (29.5-kg) density material applied at a rate of 10 mph (16 kph).

AIRMAX PRECISION AIR SPREADERS SPINNERS LIQUID

APPLICATION SYSTEMS TO FIT ANY FIELD, ANY TIME.

We offer more application systems than anybody. So when it comes to time-critical, precision delivery, you'll always have just the right equipment for the job.

No matter the soil type, terrain or farming trend we've got you covered



MANAGE DATA WITH THE SAME PRECISION YOU TREAT YOUR FIELDS

Your new TG8400B comes factory-outfitted with AgCommand™, an industry-leading tool that enables wireless transfer of vehicle data to your office, wherever that office may be. So you can optimize performance, monitor vehicle service intervals, monitor operating costs and generate easy-to-use information that drives efficiency and productivity. AgCommand uses GNSS (Global Navigation Satellite System) to monitor where your machines are and what they're doing. As an integrated component of Fuse Technologies, data is transferred to a secure Internet site that can be viewed from your laptop, iOS phone or iOS tablet.

AGCOMMAND™

AGCOMMAND ADVANCED

AgCommand Advanced comes standard on all TerraGator models. As part of the package, you get integrated cab wiring, antenna, AM50 cellular modem and a free one-year subscription. With AgCommand, you can better manage your fleet by using near-real-time data to monitor equipment and manage asset utilization. AgCommand can easily display CAN messages on any machine that allows access – regardless of brand or type of machinery. It lets you not only monitor and manage your critical field fleet, but also additional assets like grain carts, tenders and service trucks.

- Monitor machine data, including position, date, time, engine status, work status and speed
- Critical reporting includes engine hours, fuel total, fuel level, fuel consumption, machine summary, plus service, efficiency and field reports, field trends, comparisons and costs.
- Record up to 25 CAN messages per machine
- Assign 40 geo-fences per unit at any one time
- Machine performance data is logged every 10 seconds
- Machine updates are sent to the AgCommand server every 10 minutes
- Activation can be managed by your dealer upon delivery of your unit(s)



At A Glance – Instant visibility to machine location allows you to monitor and manage your critical fleet from wherever you are.



Main History – Machine performance data is logged every 10 seconds for up to 25 CAN messages, so you have a constant history for your equipment.




AGCO's global precision farming initiative encompasses all of AGCO's current and future technology products and services including guidance, steering, telematics, diagnostics, application controls, yield metering, mobile apps and grain storage monitoring. Fuse Technologies is a consolidated approach that supports our customers throughout the entire crop cycle by optimizing uptime and keeping all farm assets in the right place at the right time.

The Fuse Contact Center provides real time support for current product set-up, operation and calibration. Call AGCO Answers: (877) 525-4384. When prompted, select Fuse Contact Center.



OPTIONAL TECHNOLOGY

Further enhance your new TerraGator with a range of field-tested, industry-proven technology options.



Efficiency Reports – Constantly monitor your equipment's performance and efficiency for things like engine hours, fuel information, service intervals, field trends and operating costs.



AGCOMMAND MOBILE APP

The AgCommand mobile app lets you run your operation from anywhere. Available for the iPhone and iPad, this technology puts all the control and visibility that AgCommand delivers right in the palm of your hand. In addition to all the AgCommand website features, the mobile app also provides a weather radar map to compare current weather conditions to vehicle locations. It also provides a turn-by-turn navigation feature that takes you right to specific machine locations.



Field Computer The Raven™ Viper™ 4 field computer, mounted to the right "A" pillar, is a highly capable controller, delivering the ultimate combination of operating power and program capabilities. With extra hardware, these units can handle multiple system functions, including Raven AccuBoom™ and AutoBoom®.

- Horizontal or vertical orientation
- Sleek design with 12.1" responsive touchscreen and intuitive, tablet-like interface and state-of-the-art rugged magnesium alloy enclosure
- Dustproof for tough environments
- 4 camera inputs for monitoring bin levels, blind spots, roadway operation and more
- Integrated, fully scalable GPS receiver
- Customizable user interface
- Set up machine and product profiles
- ISOBUS compatible
- Wireless over-the-air software updates
- Wireless data transfer capability
- VT with task controller capabilities
- On-screen implement location with section status

Guidance System This unique hydraulic-assisted steering system enhances high-speed operation by offering faster line acquisition, correction for changes in soil condition and implement pull. You get across-the-board GPS compatibility, 3D terrain compensation and automatic system calibration. SmarTrax™ from Raven



Raven RGL 600 Lightbar Guidance System For simple navigation and swathing, this guidance system keeps you right on target all day long. Mounts right on the hood for easy visibility.

Slingshot® A precision ag innovation that wirelessly connects every square inch of your land to a set of intuitive online tools and premier hardware. (From Raven; not pictured)



OPTIONS TO FIT THE WAY YOU WORK

Choose options that enhance productivity, monitor weather conditions or let you work around the clock.



Field Lighting Add lighting packages in halogen or High Intensity Discharge (HID) for those times when you've got to be in the field before the sun comes up or you have to burn the midnight oil. Lighting packages are also available to light the booms, the chassis and tank.



AgCam® Camera System Use the magnetic holder to install the single camera where it best fits your needs. The nine-inch monitor can show up to four individual cameras in single, dual and quad-screen mode. Simply use the adaptor harness on the TG8400B to add additional camera and cable kits.



Rotating Amber Roof Beacon Enhance visibility day or night, whether you're in the field or on the road.



Sirius/XM Radio Enjoy commercial-free music from every genre, live play-by-play sports, the biggest news and talk and the hottest entertainment right at your fingertips, 24/7. Activate through SiriusXM and choose the package that's right for you.



TG8400B SPECIFICATIONS

ENGINE		
Make	AGCO Power	
Type	AP84-4	
Number of Cylinders	6	
Displacement	8.4 L (513 CID)	
Horsepower	365 HP (272 kW) @ 2,100 rpm	
Peak Horsepower	393HP (293 kW) @ 1,900 rpm	
Torque	1,136 ft-lbs (1,540.2 N-m) 2,100 rpm	
TRANSMISSION		
Type	AGCO ML-260 Continuously Variable Transmission	
Forward Speeds	1000/50R25 Rear Tire Option	1050/50R32 Rear Tire Option
High Range mph (km/h)	0 – 42 (0 – 68)	0 – 46 (0 – 74)
Low Range mph (km/h)	0 – 23 (0 – 42)	0 – 29 (0 – 46)
AXLES		
Front	AxleTech FS25, steering type with 16.5 in x 6 in Q-Plus™ heavy-duty cam brakes	
Rear	AxleTech PRC-673 wide track with a 14.8:1 ratio, double reduction outboard planetary with 18 in x 7 in full air-“S” cam-actuated drum type brakes	
SYSTEMS/CONTROLLERS		
Systems Available	Liquid systems: 1,800-gal (6,814 L) TerraGator boom or Benson Boom II Dry systems: AirMax Precision, AirMax Precision 2, Air Spreader, Twin Bin, New Leader L400G4 Spinner	
Controllers Available	Raven Viper 4	

AIR SYSTEM	
Compressor	Engine-mounted
Governor	120 psi (8.2 bar)
CFM	14.1 cfm (6.7 L/s)
Reservoir	Dual
WEIGHTS	
Rated capacity front	16,000 lbs. (7,257 kg)
Rated capacity rear	42,000 lbs. (19,050 kg)
Approximate front weight	9,338 lbs. (4,236 kg)
Approximate rear weight	10,758 lbs. (4,880 kg)
SUSPENSION	
Type	Heavy-duty front and rear leaf springs with auxiliary rear leaf springs
STEERING	
Type	Dynamic load sense
TIRES	
Front	Goodyear® Radial (Standard) 48X31R20 Goodyear® Radial (Optional) 54X31R26 Goodyear® Optiterra Radial
Rear	Michelin® Radial (Optional) 1000/50R25 Michelin® Radial (Optional) 1050/50R32

APPLICATION CAB		
Glass Area / Floor Area	58 sq.ft (5.4 m ²) / 14 sq.ft. (1.39 m ²)	
Cab Suspension	Air-ride cab	
Radio	AM/FM / stereo / CD-MP3-compatible / weather band	
HVAC/Filtration	Automatic temperature control / 3-level activated carbon	
Steering wheel	14-in. (35.8 cm) diameter	
Standard seat	Semi-active seat suspension with heated seat cushions	
Optional seat	Leather semi-active or air ride seat	
FLUID CAPACITIES		
Fuel	155 gal. (625 L)	
DEF (Diesel Exhaust Fluid)	15 gal. (56.8 L)	
Engine coolant	8 gal. (30.3 L)	
Engine oil	6 gal. (22.7 L)	
Transmission oil	14 gal. (53 L)	
Hydraulic reservoir	12 gal. (46 L)	
DRY SYSTEM DELIVERY CAPACITIES		
AirMax Precision	Single bin	310 cu.ft. (8.8 m ³)
AirMax Precision 2	Adjustable, split bin	300 cu.ft. (8.5 m ³)
Air Spreader	Single bin, multiple products	315 sq.ft. (8.9 m ²)
Soilection Twin Bin	Two bins	290 cu.ft. (8.2 m ³)
New Leader	L400G4 Single bin, optional inserts	up to 331 cu.ft. (9.4 m ³)



AGCO, Your Agriculture Company, is a premier manufacturer of agricultural equipment, providing high-tech solutions for professional farmers feeding the world. The company is dedicated to delivering superior customer service, innovation and quality. AGCO products are distributed in more than 140 countries worldwide.

AGCO FINANCE

At AGCO Finance, we understand that financing is as much a part of your purchase decision as the features and benefits of the product. So we're committed to providing the best means of acquiring the equipment you need, while allowing you to preserve other credit lines of operating capital.

AGCO ANSWERS

At AGCO, customer care isn't just a department. It's a commitment. Contact us with your questions. We'll do our best to answer them promptly or put you in touch with someone who can. **877-525-4384** or agcoanswers@agcocorp.com

AGCO PARTS

AGCO Parts supports dealers with world-class service, providing tools like agcopartsbook.com to put parts information at your fingertips 24/7.

FUSE TECHNOLOGIES

Fuse Technologies represents a global technology branded initiative for AGCO – the first of its kind. It demonstrates our belief that superior technology is critical to the future success of our corporation and the growers we serve. It signals a new level of commitment to research and development of new technology products and services.

The Fuse Contact Center provides real-time support for current product set-up, operation and calibration. Call AGCO Answers: (877) 525-4384. When prompted, select Fuse Contact Center.



TerraGator®

Find a dealer at terrigator.com

TerraGator® is registered trademark of AGCO Corporation.

© 2014 AGCO Corporation. AGCO® and TerraGator® are registered trademarks of AGCO Corporation. AGCO Corporation has a corporate policy of continuous product improvement and development; therefore, specifications are subject to change without any advance notice. AGCO Corporation is not responsible for differences between the specifications or illustrations contained in this publication and the actual equipment. Equipment produced by other manufacturers is shown in photographs in this brochure for the purpose of illustration only and is not intended as an endorsement of that particular equipment or its suitability. All rights reserved.

AGCO Corporation, 4205 River Green Parkway, Duluth, GA 30096 | TG15B003CT (08) 1 PD

